

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P O Box 1450 Alexandria, Virginia 22313-1450 www.wepto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/562,027	12/22/2005	Paul Charles Claydon	T4515-16168US01	5558	
181 7590 12/08/2010 MILES & STOCKBRIDGE PC			EXAM	EXAMINER	
1751 PINNACLE DRIVE			KIRSCH, ANDREW THOMAS		
SUITE 500 MCLEAN, VA	X 22102-3833		ART UNIT	PAPER NUMBER	
			3781		
			NOTIFICATION DATE	DELIVERY MODE	
			12/08/2010	ELECTRONIC	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

ipdocketing@milesstockbridge.com sstiles@milesstockbridge.com

Application No. Applicant(s) 10/562,027 CLAYDON, PAUL CHARLES Office Action Summary Examiner Art Unit ANDREW T. KIRSCH 3781 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS. WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status 1) Responsive to communication(s) filed on 2a) This action is FINAL. 2b) This action is non-final. 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. Disposition of Claims 4) Claim(s) 1-19 is/are pending in the application. 4a) Of the above claim(s) 1-5 and 8-15 is/are withdrawn from consideration. 5) Claim(s) _____ is/are allowed. 6) Claim(s) 6, 7, 16-19 is/are rejected. 7) Claim(s) _____ is/are objected to. 8) Claim(s) _____ are subject to restriction and/or election requirement. Application Papers 9) The specification is objected to by the Examiner. 10)⊠ The drawing(s) filed on 30 April 2008 is/are: a)⊠ accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. Attachment(s)

1) Notice of References Cited (PTO-892)

Paper No(s)/Mail Date

Notice of Draftsperson's Patent Drawing Review (PTO-948)

3) Information Disclosure Statement(s) (PTO/SD/68)

Interview Summary (PTO-413)
 Paper No(s)/Mail Date.

6) Other:

5) Notice of Informal Patent Application

Art Unit: 3781

DETAILED ACTION

The amendment filed 11/11/2010 has been entered.

Note that although the current action could be made final based on the
amendments to claims 1 and 16 which could have been properly finally rejected in the
previous action, the current action is being made non-final as a courtesy to the
Applicant.

Specification

The title of the invention is not descriptive. A new title is required that is clearly indicative of the invention to which the claims are directed.

The following title is suggested: "Closure with beaded center panel".

Claim Rejections - 35 USC § 103

- The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary sikl in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
 - Determining the scope and contents of the prior art.
 - 2. Ascertaining the differences between the prior art and the claims at issue.
 - Resolving the level of ordinary skill in the pertinent art.
 - Considering objective evidence present in the application indicating obviousness or nonobviousness.

Art Unit: 3781

 Claims 6-7, and 16-19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ramsey et al. as applied to claims 1, 6, and 7 above, and further in view of U.S. PG Pub No. 2002/0050493 (Ball et al. hereinafter).

7. In re claim 6, with reference to Figs. 6 and 7 below, Ramsey et al. discloses a product capable of having its in-can pressure controlled during thermal processing, comprising: bonding a panel (31) to an inclined seal surface of an annular component (42), the inclined seal surface of the annular component being initially at an angle of from 10° to 60° (Ramsey discloses an angle of 120° from the wall, which is 30° from the horizontal when measured as in the current application, column 4, line 65); stretching the panel (lid panel "distends" under pressure, column 4, lines 59-62); fixing the annular component and panel bonded thereto to a filled can (column 4, lines 44-55); processing the contents of the filled and closed can by heating to temperatures of up to 135°C (column 4, line 18); and providing, at least during the processing step, a generally dome shaped profile to the panel ("distends") so as to provide an increase in can volume approximately equal to thermal expansion of the contents and gases in any headspace within the can (column 4, lines 59-62).

Art Unit: 3781

Fig.6.






Fig.7.



Application/Control Number: 10/562,027

Art Unit: 3781

- Ramsey fails to disclose wherein the method further comprises reforming the seal surface to a shallower angle than the initial angle of the seal surface down to and including 0° after the processing step.
- 9. However, with reference to Fig. 3 below, Ball et al. teaches how the application of a shallow flange angle (planar flange), with the introduction of in-can pressure, results in a peeling force (F_T), inherently reducing the force to peel the closure required by a user.



- 10. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have modified the method of Ramsey et al. by adding a step which flattens the annular flange for the purposes of reducing the applied peel force required by the user as taught by Ball et al. Note that since both configurations of the flange are disclosed in the prior art, it would have been obvious to have included the step of re-configuring the flange from the one known state to the second known state to achieve the known advantages associated with each state.
- 11. In re claim 7, with reference to the Figs. above, Ramsey et al. in view of Ball et al. discloses the claimed method further comprising stretching ("distends") the panel into a beaded profile which matches the fibre length of the generally domed shaped profile provided during thermal processing.

Art Unit: 3781

12. In re claim 16, with reference to the Figs. above, Ramsey et al. in view of Ball et al. discloses the claimed invention including wherein discloses a product capable of having its in-can pressure controlled during thermal processing, comprising: bonding a panel (31) to an inclined seal surface of an annular component (42), the inclined seal surface of the annular component being initially at an angle of from 20° to 60° (Ramsey discloses an angle of 120° from the wall, which is 30° from the horizontal when measured as in the current application, column 4, line 65); stretching the panel (lid panel "distends" under pressure, column 4, lines 59-62); fixing the annular component and panel bonded thereto to a filled can (column 4, lines 44-55); and providing, at least during the processing step, a generally dome shaped profile to the panel ("distends") so as to provide an increase in can volume approximately equal to thermal expansion of the contents and gases in any headspace within the can (column 4, lines 59-62); and reducing the seal surface angle to a shallower angle than the initial angle of the seal surface after the processing step (as in re claim 6 above).

- 13. Ramsey et al. in view of Ball et al. fails to disclose processing the contents of the filled and closed can by heating to temperatures of up to 129°C.
- 14. It would have been obvious to one having ordinary skill in the art at the time the invention was made to have heated the contents to a temperature of up to 129°C, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. In re Aller, 105 USPQ 233. Please note that in the instant application, applicant has not disclosed any criticality for the claimed limitations.

Art Unit: 3781

15. In re claim 17, with reference to Figs. 6 and 7 above, Ramsey et al. in view of Ball et al. discloses the claimed method further comprising stretching ("distends") the panel into a beaded profile which matches the fibre length of the generally domed shaped profile provided during thermal processing (as in re claim 7 above).

16. In re claims 18 and 19, with reference to the Figs. above, Ramsey et al. in view of Ball et al. discloses the claimed invention including wherein the inclined seal surface of the annular component is initially at an angle of from 20° up to 45° (30°, as in re claim 16 above).

Response to Arguments

- Applicant's arguments filed 11/11/2010 have been fully considered but they are not persuasive.
- 18. Applicant argues on page 7 of the Remarks that Ball et al. provides no teaching of "reducing" the seal surface angle. However, the manner in which the Examiner has rejected the limitation is by stating that it would have been obvious to one of ordinary skill to have added the step of reducing the angle based on a favorable structure of Ball et al. regarding the angle, and how that angle compares to the initial angle of the surface of Ramsey. As discussed above, Ramsey discloses an angle of 30 degrees during a retort process. Ball et al. discloses the desirability of a shallow angle (0 degrees as shown in Fig. 3 above) after the conclusion of a retort process which will allow a component of the tension force (FT) to act in the direction of peeling, thereby reducing the peeling force required by a user to open the closure. Therefore, since both

Application/Control Number: 10/562,027

Art Unit: 3781

desirable conditions have been taught at their respective points in the process, the additional step claimed of reducing the angle is rendered obvious.

19. Note that the currently amended claim limitations still recite the reduction of the angle to one that is shallower than the initial angle, and defines the range as being from an angle less than the initial angle, to 0 degrees.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in
this Office action. Accordingly, THIS ACTION IS MADE FINAL. See MPEP
§ 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37
CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to ANDREW T. KIRSCH whose telephone number is Application/Control Number: 10/562,027

Art Unit: 3781

(571)270-5723. The examiner can normally be reached on M-Th, 7am-5pm, off Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Anthony Stashick can be reached on 571-272-4561. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Andrew T. Kirsch/

Examiner, Art Unit 3781

/Anthony Stashick/

Supervisory Patent Examiner, Art Unit 3781